

SureColor™ SC-S Series

colyer.  
london

EXPERTISE IN.  
QUALITY OUT.



EPSON®  
EXCEED YOUR VISION

**ALVA**

**WAKE UP TO THE WORLD**

Start your day with a natural sensation

**NATURE'S SENSATIONS**  
Made by the Earth

All purpose shower gel

At Epson, we believe you get out of your printer what we put in.



# IMPACTFUL QUALITY. EXCEPTIONAL PRINTERS.

Epson's experience lies in designing and manufacturing precision instruments for printing hardware, and building our extensive knowledge of high quality printing. All of this know-how has gone into the development of the SC-S large format printer series - designed from the ground up, with every component developed and manufactured by Epson.

We've put our expertise into the SC-S Series, so you can expect precision, quality, and added productivity with every print.



## **SureColor SC-S40600**

**For high print quality at a low cost of purchase.**

The SC-S40600 is the 4-colour, entry level choice for uncompromising quality – optimised for businesses looking to create effective signage with an easy-to-use, low-cost, high-quality large format printer.

## **SureColor SC-S60600**

**For high print volume and quick turnaround.**

The SC-S60600 is the 4-colour choice for demanding production – optimised for businesses looking for high productivity alongside excellent quality, with minimal user intervention.

## **SureColor SC-S80600**

**For demanding applications where colour performance is key.**

The SC-S80600 is the high-performance printer with additional colour inks, such as orange, red, metallic and white optimised for businesses looking for a high-quality large format printer that offers a wider choice of inks for a variety of print applications.

# PRECISION

## Higher quality, faster output

The Epson PrecisionCore TFP printhead produces exceptional image quality thanks to its 360dpi printhead nozzle configuration, producing a maximum resolution of up to 1440 x 1440 dpi.<sup>1</sup>



## Class-leading substrate control

By utilising Epson's advanced auto-tension control (AD-ATC), the SC-S Series produces prints with accurate dimensions from the beginning to the end of the media roll.

## Accuracy for any medium

The ultra-sophisticated feeding system, anti-static pressure rollers, and electronic pressure control optimise grip and feed accuracy to produce perfect prints across all substrates.

## High ink efficiency

Epson UltraChrome GS3 inks produce more vivid, faster drying prints, while using less ink than previous generations.

# QUALITY

## Wider colour gamut

The SC-S80600's 9/10-colour set includes metallic, white, orange, and red inks, and up to 98.2% of PANTONE Solid Coated Colours<sup>2</sup> – adding up to high-quality signage of exceptional clarity, made possible by Epson's UltraChrome GS3 inks.



Previous ink



## PrecisionDot mode

As a result of developing our image processing technology, PrecisionDot high-quality mode combines three technologies (Half Tone Module, LUT, and Micro Weave) to improve the quality across all print mediums.

## Comprehensive service and support

In the unlikely event of a problem with your SC-S Series printer, you're covered by a two-year warranty as standard – and the option of extended coverage.



# PRODUCTIVITY

## A range of creative applications


Print on substrates including clear film, vinyl, canvas, and photographic paper. You can also create a range of professional and specialist displays for billboards, wallpapers, car wrappings and POS.

## Reduced user intervention

The SC-S Series' fabric head cleaning system automatically maintains the condition of the printhead for consistent quality throughout production. It also keeps the head assembly clear of dust and debris to ensure printhead performance.

## Ink flow regulator

The SC-S Series' ink flow regulator ensures consistent print quality every time by optimising the condition of the ink.



## Designed to stay clean

The SC-S Series' dual-filter air circulation system ensures clean air throughout the printer – preventing failure caused by ink mist over a period of time.

# INNOVATION

At Epson, we believe you get out of your printer what we put in. The SC-S Series has been designed from the ground up, with productivity in mind.

The SC-S Series introduces several features new to not only Epson's product range, but printing worldwide – delivering precision, quality, and added productivity with every print.







Ideal for producing high-value signage and vivid displays, as well as specialist applications such as wallpaper and car-wrapping, every printer in the SC-S Series is designed, developed, and built by Epson – so you can be assured of ongoing quality, backed up by our standard two-year warranty.

Find out more at  
[www.epson.eu/signbye Epson](http://www.epson.eu/signbye Epson)





# SPECIFICATIONS

	S40600 	S60600 	S80600 
<b>Printhead configuration</b>	PrecisionCore TFP printhead 360 x 2 nozzles each colour (x4)	Dual PrecisionCore TFP printhead 360 x 2 nozzles each colour (x4)	Dual PrecisionCore TFP printhead 360 x 2 nozzles (x10)
<b>Maximum print speed</b>	48.6 m <sup>2</sup> /h (Draft)	95.3 m <sup>2</sup> /h (Draft)	95.1 m <sup>2</sup> /h (Draft)
<b>Minimum ink droplet volume</b>	4.2pl		
<b>Maximum print resolution</b>	1440 x 1440 dpi <sup>1</sup>		
<b>Media width</b>	300 to 1,626mm (64 inch)		
<b>Maximum media thickness</b>	1mm		
<b>Roll outer diameter</b>	Up to 250mm		
<b>Reel outer diameter</b>	Up to 200mm		
<b>Roll weight</b>	Up to 45kg		
<b>Ink</b>			
<b>Number of inks</b>	4 colours (C,M,Y,K)	2 x 4 colours (C,M,Y,K)	9/10 colours (C,M,Y,K, Lc, Lm, Lk, Or, Re + Mt or Wh)
<b>Ink cartridge capacity</b>	700ml		
<b>LCD</b>	2.7" Colour LCD		
<b>Connectivity</b>	USB: High-Speed USB 2.0 Ethernet: 100Base-TX/1000Base-T		
<b>Dimensions</b>	W: 2,620mm H: 1,338mm (covers closed) (max. 1,670mm for operation) D: 880mm (max. 1,090mm for operation)	W: 2,620mm H: 1,338mm (covers closed) (max. 1,670mm for operation) D: 972mm (max. 1,147mm for operation)	W: 2,620mm H: 1,338mm (covers closed) (max. 1,670mm for operation) D: 880mm (max. 1,090mm for operation)
<b>Weight</b>	279kg (without ink cartridges)	291kg (without ink cartridges)	284kg (without ink cartridges)
<b>Voltage</b>	AC 100-120V or 200-240V 50/60Hz		
<b>Feed roller pressure</b>	3 settings		
<b>Platen gaps</b>	1.6mm, 2mm & 2.5mm		
<b>Auto skew correction</b>	Yes		
<b>Feed accuracy</b>	+/- 0.1 to 0.2%		
<b>Media take up drift</b>	=< 10mm		
<b>Warranty</b>	2 years onsite		
<b>Noise level</b>	59db	60.5db	59db
<b>Auto media setup</b>	Yes		

1. Depends on RIP Software.

2. The Pantone accreditation is relevant for SC-S80600 models and is tested in 1440x1440dpi 36 pass-mode, on ILFORD Nano Solvent Premium Photo Paper Gloss.

For further information please contact your local Epson office or visit [www.epson-europe.com](http://www.epson-europe.com)

**Austria** 01 253 49 78 333 **Belgium** +32 (0)2 792 04 47 **Czech** 800/142 052 **Denmark** 44 50 85 85 **Finland** 0201 552 091 **France** 09 74 75 04 04  
(Cost of local call, operator charges may apply) **Germany** +49 (0) 2159/92 79 500 **Greece** 210-8099499 **Hungary** 06800 147 83 **Ireland** 01 436 7742  
**Italy** 02-660321 10 (0,12 €/min) **Luxembourg** +352 27860692 **Middle East** +9714 8872172 **Netherlands** +31 (0)20 708 5099 **Norway** +47 67 11 37 00  
**Poland** 0-0-800 4911299 (0,16 zł/min) **Portugal** 707 222 111 **Russia** (095) 777-03-55 **Slovakia** 0850 111 429 **South Africa** (+2711) 465-9621  
**Spain** 93 582 15 00 **Sweden** 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min) **Switzerland** 022 592 7923  
**Turkey** (0212) 3360303 **United Kingdom** 0871 222 6702

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.  
Product information is subject to change without prior notice.

EPSON ULTRACHROME  
GS3 INK

EPSON®

020 7833 0888

hello@colyer.co.uk

12 Rosebery Ave. London EC1R 4TD  
you think we help you create

colyer.  
london