Revoria Press SC180 / SC170



Specifications

Basic Specifications / Print Function

Item		Description		
		Revoria Press SC180	Revoria Press SC170	
Туре		Console		
Colour Capability		Full Colour		
Printing Resoluti	on	2,400 x 2,400 dpi		
Continuous	Α4	80 ppm	70 ppm	
Print Speed*1	А3	44 ppm	40 ppm	
Paper Size*2*3	Tray 1, 2, 3	Standard size: Max A3, 11 x 17", Min A5 Custom size: 140 x 182 mm to 330 x 488 r	mm	
r aper oize	Bypass Tray (directly connected to printer)	Standard size: Max A3, 11 x 17", Min A6 Custom size: 98 x 148 mm to 330 x 1,200	mm* ⁴	
	Tray 1, 2, 3	64 to 256 gsm		
Paper Weight	Bypass Tray (directly connected to printer)	52 to 300 gsm*5		
Paper Tray	Standard	570 sheets x 3-tray	570 sheets x 3-tray	
Capacity*6	Мах	10,760 sheets (Standard + Chained Air Suction Feeder C1-DS-R + Chained Air Suction Feeder C1-DS-L)		
	Multi Sheet Inserter for Banner Print	250 sheets		
	High Capacity Feeder B1 + Multi Sheet Inserter for Banner Print	2,000 sheets x 1-tray + 250 sheets		
	High Capacity Feeder B1-S + Multi Sheet Inserter for Banner Print	2,100 sheets x 1-tray + 250 sheets		
	High Capacity Feeder C3-DS + Multi Sheet Inserter for Banner Print	2,100 sheets x 2-tray + 250 sheets		
Paper Tray Capacity Optional*6	2nd High Capacity Feeder C1-DS + High Capacity Feeder C3-DS+ Multi Sheet Inserter for Banner Print	2,100 sheets x 2-tray x 2-connection + 250 sheets		
·	Air Suction Feeder C1-DS*7	2,200 sheets x 2-tray + 250 sheets		
	Air Suction Feeder C1-DSXL*7 + Banner Unit for Air Suction Feeder C1-DSXL	900 sheets*8 + 2,200 sheets + 250 sheets		
	Chained Air Suction Feeder C1-DS* ⁷ -R + Chained Air Suction Feeder C1-DS-L	2,200 sheets x 2-tray x 2-connection + 2	50 sheets	
	Chained Air Suction Feeder C1-DS-R + Chained Air Suction Feeder C1-DSXL*7-L + Banner Unit for Air Suction Feeder C1-DSXL	2,200 sheets x 2-tray + 900 sheets*8 + 2,200 sheets + 250 sheets		
Output Tray Capacity*6*9		500 sheets (A3)		
Power Supply		AC200-240 V +/- 10%, 20 A, 50/60 Hz		
Maximum Power Consumption		4.8 kW		
		W 1,159 x D 831 x H 1,310 mm		
Dimensions*10		W 1,159 X D 831 X H 1,310 mm		

- *1: When continuously printing a single document. 52 to 220 gsm, uncoated paper. Print speed may be reduced depending on conditions of output data, on whether auto image quality adjustment is performed, on whether the job includes a mixture of paper sizes and types, and other reasons.
- *2: Image loss width: Lead edge 4.0 mm, Trail edge 2.0 mm, Front 2.0 mm, Rear 2.0 mm.
- *3: Multi-model Print Driver 2 and the model-specified print driver, allowing you to print directly without using a print server, are also available. When using Multi-model Print Driver 2, paper size from 148 x 210 mm to 297 x 432 mm can be handled.
- *4: When the optional Multi Sheet Inserter for Banner Print is directly connected to the main unit. Duplex Automatic Print supports paper size up to 330 x 660 mm.
- *5: Banner Printing 52 to 220 gsm.
- *6: 82 gsm paper.
- *7: Multi Sheet Inserter for Banner Print is included.
- *8: 100 sheets for paper longer than 864 mm (90 gsm).
- *9: Offset Catch Tray.
- *10: Includes main unit and Large Size UI panel. Excludes output tray and external print server. With Multi Sheet Inserter for Banner Print closed.

Scan Function

Item	Description
Туре	Colour Scanner
Scan Resolution	600 x 600 dpi, 400 x 400 dpi, 300 x 300 dpi, 200 x 200 dpi
Scan Speed	Same as the Scan Speed for the Duplex Automatic Document Feeder
Scanning Method	Store to folder (TWAIN Interface support), Scan to PC, Scan to e-mail

Copy Function

Item	Description	
	Revoria Press SC180	Revoria Press SC170
Scan Resolution	600 x 600 dpi	
Printing Resolution	2,400 x 2,400 dpi (Text-Photo / Photo), 600 x 600 dpi (Text / Map)	
Paper Size*	Standard size: Max A3, Min A6 Custom size: 98 x 148 mm to 330 x 488 mm	
First Copy Output Time	B/W: 5.2 sec. (A4 / Monochrome priority mode) Colour: 9.0 sec. (A4 / Colour priority mode)	B/W: 5.3 sec. (A4 / Monochrome priority mode) Colour: 9.1 sec. (A4 / Colour priority mode)

^{*:} Image loss width: Lead edge 4.0 mm, Trail edge 2.0 mm, Front 2.0 mm, Rear 2.0 mm.

Duplex Automatic Document Feeder

Item		Description		
		Revoria Press SC180	Revoria Press SC170	
Original Size / Paper Weight		Max: A3, 11 x 17", Min: A6" ¹ 38 to 200 gsm (In Duplex: 50 to 200 gsm)		
Capacity*2		250 sheets		
Scan Speed ⁻³	Copy (A4 Simplex)	B/W: 80 ppm Colour: 80 ppm		
	Scan	B/W: 135 ppm, Colour: 135 ppm (1 pass, 2 sided scanning: B/W: 270 ppm, Colour: 270 ppm) [Standard Document (A4), 200 dpi, to Folder.]		

^{*1:} The minimum custom size is 84.0 x 139.7 mm.

Offset Catch Tray / Long Catch Tray (Optional)

Item	Description		
	Offset Catch Tray	Long Catch Tray	
Paper Size	Standard size: Max A3, 11 x 17", Min A6 Custom size: 98 x 148 mm to 330 x 660 mm* ¹	Standard size: Max A3, 11 x 17", Min A6 Custom size: 98 x 148 mm to 330 x 1,200 mm* ²	
Paper Weight	52 to 400 gsm		
Paper Capacity*3	500 sheets	300 sheets (Paper length up to 488 mm) 100 sheets (Paper length above 488 to 864 mm) 10 sheets (Paper length above 864 to 1,200 mm)	
Dimensions	W 406 x D 393 x H 184 mm	W 512 x D 396 x H 308 mm*4	
Weight	6 kg	4 kg*5	

^{*2: 80} gsm paper.*3: The scanning speed varies depending on the documents.

^{*1:} Paper capacity is guaranteed up to 488 mm.
*2: When Long Paper Extension Kit is not installed, the capacity is guaranteed up to 660 mm.
*3: 90 gsm paper.

^{*4:} When Long Paper Extension Kit is installed, W 941 x D 396 x H 495 mm.

^{*5:} When Long Paper Extension Kit is installed, 5 kg.

High Capacity Feeder B1 (Optional)

Item	Description	
Paper Size	Max A4, Letter, Min JIS B5	
Paper Weight	64 to 220 gsm	
Feeding Capacity / Number of Tray*	2,000 sheets x 1-tray	
Dimensions	W 389 x D 610 x H 377 mm	
Weight	29 kg	
Note: Optional Multi Sheet Inserter for Banner Print is required. It is connected to printer directly. *: 90 gsm paper.		

High Capacity Feeder B1-S (Optional)

Item		Description
D	High Capacity Feeder	Standard size: Max A3, 11 x 17", Min A6 Custom size: 100 x 148 mm to 330 x 488 mm
Paper Size*1	Bypass Tray (Optional)	Standard size: Max A3, 11 x 17", Min A6 Custom size: 100 x 148 mm to 330 x 660 mm
Paper Weight	High Capacity Feeder	52 to 300 gsm
rupei weigiit	Bypass Tray (Optional)	52 to 350 gsm* ²
Feeding Capacity /	High Capacity Feeder	2,100 sheets x 1-tray
Number of Tray*3	Bypass Tray (Optional)	250 sheets
Power Supply		AC100-120 V +/- 10 %, 2.5 A, AC220-240 V +/- 10 %, 1.5 A, 50/60 Hz
Maximum Power Consumption		360 W
Dimensions		W 988 x D 762 x H 992 mm
Weight*4		190 kg

Note: Optional Multi Sheet Inserter for Banner Print is required.

High Capacity Feeder C3-DS (Optional)

Item		Description
Down an Olive #1	High Capacity Feeder	Standard size: Max A3, 11 x 17", Min A6 Custom size: 98 x 148 mm to 330 x 488 mm
Paper Size*1	Bypass Tray (Optional)	Standard size: Max A3, 11 x 17", Min A6 Custom size: 100 x 148 mm to 330 x 660 mm
	High Capacity Feeder	52 to 350 gsm
Paper Weight	Bypass Tray (Optional)	52 to 350 gsm* ²
Fooding Canacity /	High Capacity Feeder	2,100 sheets x 2-tray
Feeding Capacity / Number of Tray* ³	Bypass Tray (Optional)	250 sheets
Power Supply		AC100-120 V +/- 10 %, 6 A, AC220-240 V +/- 10 %, 4 A, 50/60 Hz
Maximum Power Consumption		880 W
Dimensions		W 988 x D 762 x H 992 mm
Weight*4		236 kg

Note: Optional Multi Sheet Inserter for Banner Print is required. Note: When High Capacity Feeder C3-DS is connected to 2nd High Capacity Feeder C1-DS, the optional Multi Sheet Inserter for Banner Print attached to the left module.

^{*1:} When setting main scanning 100 to 182 mm paper, Post Card Kit is required.

^{*2: 82} to 220 gsm for paper longer than 488 mm.

^{*3: 90} gsm paper.

^{*4:} Including Multi Sheet Inserter for Banner Print and Large Size UI panel.

^{*1:} When setting main scanning 98 to 182 mm paper, Post Card Kit 2 is required.

^{*2: 82} to 220 gsm for paper longer than 488 mm.

^{*3: 90} gsm paper.

^{*4:} Including Multi Sheet Inserter for Banner Print and Large Size UI panel.

Finisher D6 / Finisher D6 with Booklet Maker (Optional)

Item		Description	
		Finisher D6	Finisher D6 with Booklet Maker
Туре	Output Tray	Sort / Stack	
	Finishing Tray	Sort (Offset available) / Stack (Offset available)	
	Booklet Tray	-	Sort / Stack
Paper Size	Output Tray	Standard size: Max A3, 11×17", Min A6 Custom size: 98 x 148 mm to 330 x 1,2	00 mm* ¹
ruper size	Finishing Tray	Standard size: Max A3, 11×17", Min A5 Custom size: 148 x 148 mm to 330 x 488 mm	
Paper Weight	Output Tray	52 to 400 gsm	
raper weight	Finishing Tray	52 to 350 gsm	
	Output Tray*1	500 sheets (A4)	
Paper Capacity*2	Finishing Tray Without Stapling	A4: 3,000 sheets JIS B4 or larger: 1,500 sheets Mixed Size Stacking ⁻³ : 350 sheets	A4: 2,000 sheets JIS B4 or larger: 1,500 sheets Mixed Size Stacking*3: 350 sheets
Сараспу	Finishing Tray With Stapling	A4: 200 sets or 3,000 sheets JIS B4 or larger: 100 sets or 1,500 sheets	A4: 200 sets or 2,000 sheets JIS B4 or larger: 100 sets or 1,500 sheets
	Booklet Tray	-	20 sets*4
	Capacity	100 sheets (90 gsm or less)*5	
Staple	Paper Size*6	Standard size: Max A3, 11 x 17", Min A5 Custom size: 182 x 148 mm to 297 x 432 mm	
·	Paper Weight	52 to 350 gsm	
	Position	Single stapling, Dual stapling, 4 stapling	
	Number of Holes	2-hole / 4-hole punch or 2-hole / 3-hole punch (US Specifications)	
Punch*7	Paper Size*8	Standard size: Max A3, 11 x 17", Min JIS B5 (2-hole punch, 3-hole punch), A4 (4-hole punch) Custom size: 203 x 182 mm to 297 x 431 mm	
	Paper Weight	52 to 220 gsm	
Booklet	Capacity*9	-	Saddle Staple: 30 sheets (90 gsm or less) Single Fold: 5 sheets (220 gsm or less)
Finishing	Paper Size	-	Standard size: Max A3, Min JIS B5 Custom size: 182 x 257 mm to 330 x 488 mm
	Paper Weight	-	60 to 350 gsm
Power Supply		AC100-240 V +/- 10 %, 3 A (100 V) / 1.5 A (240 V), 50/60 Hz	
Maximum Power Consumption		360 W	
Dimensions		W 855 x D 725 x H 1,204 mm When Folder Unit CD2 is installed: W 1,092 x D 725 x H 1,204 mm	W 892 x D 725 x H 1,204 mm When Folder Unit CD2 is installed: W 1,129 x D 725 x H 1,204 mm
Weight		87 kg When Folder Unit CD2 is installed: 142 kg	107 kg When Folder Unit CD2 is installed: 162 kg
	Nogurlar Madula D1 ia ragu		-

Note: Interface Decurler Module D1 is required.

^{*1:} For paper longer than 330 x 488 mm, the capacity is not guaranteed. When the optional Banner Print Extension Kit is installed, 150 sheets of long paper up to 330 x 660 mm; 100 sheets of long paper up to 330 x 864 mm; 10 sheets of long paper up to 330 x 1,200 mm can be stacked. *2: 82 gsm paper.

^{*3:} When larger size sheets are stacked on top of smaller size sheets.

^{*4:} When 16 sheets/set.

^{*5: 65} sheets for sizes exceeding A4.

^{*6:} Available staple positions vary depending on the paper size.

^{*7:} Optional.

^{*8:} Available number of punch holes varies depending on the paper size.

^{*9:} The maximum number of sheets varies depending on the paper weight. Booklet may not be tightly closed depending on the size or type of the paper.

Air Suction Feeder C1-DS / C1-DSXL (Optional)

Item		Air Suction Feeder	
		C1-DS	C1-DSXL
Paper Size*1	High Capacity Feeder	Standard size: Max A3, 11 x 17", Min A6 Custom size: 98 x 148 mm to 330 x 488 mm	Standard size: Max A3, 11 x 17", Min A6 Custom size: 210 x 210 mm to 330 x 1,200 mm*² (Upper tray) 98 x 148 mm to 330 x 488 mm (Lower tray)
	Bypass Tray	Standard size: Max A3, 11 x 17", Min A6 Custom size: 98 x 146 mm to 330 x 660	mm
Paper Weight	High Capacity Feeder	52 to 400 gsm	52 to 400 gsm* ³
	Bypass Tray	52 to 350 gsm* ⁴	
Feeding Capacity / Number of	High Capacity Feeder	2,200 sheets x 2-tray	900 sheets*6 + 2,200 sheets
Tray*5	Bypass Tray	250 sheets	
Power Supply		AC100-120 V +/- 10 %, 6 A, AC220-240 V +/- 10 %, 4 A, 50/60 Hz	
Maximum Power Consumption		880 W	
Dimensions		W 988 x D 762 x H 992 mm	W 1,580 x D 762 x H 992 mm
Weight*7		198 kg	217 kg

Note: Multi Sheet Inserter for Banner Print is included. Note: Air Suction Feeder C1-DSXL can feed long paper only from the Upper tray.

- *1: When setting main scanning 98 to 182 mm paper, Post Card Kit for Air Suction Feeder is required.
- *2: Duplex Automatic Print supports paper size up to 330 x 864 mm.
- *3: For long paper from 330 x 488 mm to 330 x 660 mm: 52 to 350 gsm; for paper up to 330 x 864 mm: 52 to 300 gsm; for paper up to 330 x 1,200 mm: 52 to 256 gsm. Duplex Automatic Print supports paper weight up to 220 gsm.
- *4: 52 to 220 gsm for paper longer than 488 mm.
- *5: 90 gsm paper.
- *6: 100 sheets for paper longer than 864 mm (90 gsm).
- *7: Including Multi Sheet Inserter for Banner Print and Large Size UI panel.

Folder Unit CD2 (Optional)

Item		Description
Z Fold Half Sheet	Paper Size	A3, 11 x 17", JIS B4
2 roid Hall Sheet	Paper Weight	60 to 90 gsm
	Paper Size	A4, Letter
Tri-fold	Paper Weight	60 to 90 gsm
	Paper Capacity*	30 sheets
Power Supply		AC100-240 V +/- 10 %,1 A (100 V) / 0.5 A (240 V), 50/60 Hz
Maximum Power Consumption		120 W
Dimensions		W 232 x D 725 x H 992 mm
Weight		55 kg

Note: Finisher D6, or Finisher D6 with Booklet Maker is required. Note: Power supply separate from the Main Unit is required. *: 82 gsm paper.

Inserter D1 (Optional)

Item	Description
Paper Size	Standard size: Max A3, 11 x 17", Min A5 Custom size: 182 x 148 mm to 330 x 488 mm
Paper Weight	52 to 350 gsm
Paper Capacity*1	250 sheets
Power Supply	Supplied from Interface Decurler Module DI
Dimensions	W 700°2 x D 725 x H 1,235 mm
Weight	45 kg

Note: Finisher D6, Finisher D6 with Booklet Maker or High Capacity Stacker A1 is required.

^{*1: 82} gsm paper.

^{*2:} The width of the paper transfer part only when connected to the device is 165 mm.

Interface Decurler Module D1 (Optional)

Item	Description	
Power Supply	AC100-240 V +/- 10 %, 2.5 A (100 V) / 1 A (240 V), 50/60 Hz	
Maximum Power Consumption	250 W	
Dimensions	w 340 x D 725 x H 992 mm	
Weight	40 kg	

Note: Interface Decurler Module D1 is necessary for connecting Finisher D6, Finisher D6 with Booklet Maker or High Capacity Stacker Al to the printer.

Square Back Fold Trimmer D1 (Optional)

Item		Description
Paper Size		Same as the paper size of the Finisher D6 Booklet Finishing.
Paper Weight		Same as the paper weight of the Finisher D6 Booklet Finishing.
Booklet Tray Capacity ^{*1}		20 sets (15 sheets bind and below), 15 sets (16 sheets bind and above)
Face Trim	Capacity*2	Saddle Staple: 30 sheets, Single Fold: 5 sheets
	Trim dimensions	2 to 20 mm
Square Back Capacity*2*3		30 sheets
Power Supply		AC100-240 V +/- 10 %, 1.0 A (100 V) / 0.6 A (240 V), 50/60 Hz
Maximum Power Consumption		144 W
Dimensions		W 1,066 x D 725 x H 552 mm
Weight		100 kg

Note: Finisher D6 with Booklet Maker is required.

Crease / Two-sided Trimmer D2 (Optional)

Item		Description
Two-sided Trim	Paper Size	Standard size: Max A3, 11 x 17", Min A4, Letter Custom size: 194 x 210 mm to 330 x 488 mm
	Paper Weight	52 to 350 gsm
	Trim dimensions	One side: 6 to 25 mm
Crease	Paper Size	Standard size: Max A3, 11 x 17", Min JIS B5 Custom size: 182 x 210 mm to 330 x 488 mm
	Paper Weight*1	52 to 350 gsm
	Number of lines*2	1 to 5
Power Supply		AC100-240 V +/- 10 %, 4 A (100 V) / 2 A (240 V), 50/60 Hz
Maximum Power Consumption		480 W
Dimensions		W 605 x D 725 x H 992 mm
Weight		128 kg

Note: Finisher D6, or Finisher D6 with Booklet Maker is required.

^{*1:} Paper may not be accepted depending on paper type and other usage conditions.

^{*2:} The capacity can decrease depending on type and weight of paper being used and other conditions.
*3: Square back finishing is not supported for single-folding and saddle stapling of less than 5 sheets.

^{*1:} When using the booklet finishing. 157 gsm or more is supported for single sheet.

^{*2:} The continuous print speed will decrease significantly as the number of lines increases.

High Capacity Stacker A1 (Optional)

Item		Description
Paper Capacity*1	Output Tray*2	500 sheets*3
	High Capacity Stacker – Stacker Cart	5,000 sheets
Paper Size	Output Tray	Standard size: Max A3, 11 x 17", Min A6 Custom size: 98 x 148 mm to 330 x 1,200 mm
	High Capacity Stacker – Stacker Cart	Standard size: Max A3, 11 x 17", Min JIS B5 Custom size: 203 x 182 mm to 330 x 488 mm
Paper Weight	Output Tray	52 to 400 gsm
	High Capacity Stacker – Stacker Cart	52 to 300 gsm
Power Supply		AC100-240 V +/- 10 %, 1.5 A (100 V) / 0.8 A (240 V), 50/60 Hz
Maximum Power Consumption		192 W
Dimensions		W 800 x D 725 x H 1,042 mm
Weight'4		155 kg

Note: Interface Decurler Module D1 is required.

Please contact your local Fujifilm partner or visit: print-emea.fujifilm.com/product/revoria-press-sc170-80/











^{*1: 80} gsm paper.

^{*2:} For paper longer than 330 x 488 mm, the capacity is not guaranteed. When the optional Banner Print Extension Kit is installed, 100 sheets of long paper up to 330 x 864 mm; 10 sheets of long paper up to 330 x 1,200 mm can be stacked.

^{*3:} When the optional Banner Print Extension Kit is installed, 250 sheets. *

^{*4:} Including Stacker Cart.